

## Hospital Planning and Design

Instructor: Dr Ashish Roy

Semester paper 2017 Set 2

60 marks

1. Draw a properly scaled plan of any ONE of the deptts listed below

30 marks

- **OPD**

With the following area program

<b>Out Patient Department</b>			
OPD 1	1	12	12
OPD 2	1	12	12
OPD 3	1	12	12
OPD 4	1	12	12
OPD 5	1	12	12
OPD 6	1	12	12
OPD 7	1	12	12
OPD 8	1	12	12
OPD 9	1	12	12
OPD 10	1	12	12
Waiting lobby OPD	1	180	180
Endoscopy with change/scrub/recovery	1	60	60
ECG/ECHO/TMT	3	20	60
Pt toilet m/f	2	30	60
Staff toilet for OPD m/f	2	4	8
Plaster rm	1	20	20
Minor OT with scrub and change	1	40	40
Physiotherapy	1	60	60
<b>Total</b>			<b>608</b>

- **OT complex**

With the following area program and a max circulation of 60%

Corridors – sterile 3000/ clean 2400/dirty 1200

<b>OT Complex</b>			
Entry Lobby/waiting	1	60	60
Pre-op-with toilet	4	12	48
Post op with toilet	4	12	48
PAC rm	1	12	12
Stores	2	20	40
OT Incharge Rm	1	12	12
OT Asstts Rm	1	12	12
Staff toilet	2	5	10
Change Rm Doctors with toilet	1	10	10
Change Rm Female Doctors with toilet	1	3	3
Change Rm Nurses with toilet	1	10	10
Change Rm Other staff with toilet	1	10	10
Doctor's Lounge with pantry	1	30	30
Staff Lounge	1	20	20
Operating Room	4	48	192
Equipment room	1	20	20
Frozen section	1	15	15
Scrub	2	3	6
Sterile store	1	20	20
Dirty Utility Rm	1	3	3
<b>Total</b>			<b>581</b>

**2. Draw the functional flow chart of any TWO of the following deptts**

**Maternity deptt**

**Laundry**

**Kitchen deptt**

**20 marks**

**3. Tick the correct choice**

**10 marks (1\*10)**

**1. Radiology equipments are all except**

- a. C T Scan
- b. MRI
- c. Ultrasound
- d. LINAC

**2. Autoclave is used in**

- a. Laboratory
- b. CSSD
- c. OR
- d. All of above

3. IF the plot size is 40\*40m and the FAR is 2 and the ground coverage is 25%, what would be the height needed to achieve this FAR

- a. 6
- b. 7
- c. 8
- d. 9

4. If the FAR is 6000 sqm and the ECS is 2/100sqm, how many cars parking area will be needed

- a. 120
- b. 180
- c. 140
- d. 160

5. How many air changes is recommended by NABH in a General OR

- a. 20
- b. 22
- c. 25
- d. 30

6. The minimum width of a staircase in a hospital as per NABH and NBC should be

- a. 1 m
- b. 1.5m
- c. 2m
- d. 2.5m

7. The gradient of a hospital ramp should be
- a. 1:8
  - b. 1:10
  - c. 1:12
  - d. 1:15
8. Emergency should be located on the rear of the hospital
- a. Always
  - b. Never
  - c. Sometimes
  - d. Not significant
9. The size of X Ray room should be
- a. 240 sqft
  - b. 260 sqft
  - c. 300 sqft
  - d. 350 sqft
10. Types of ICU – which one is incorrect
- a. Medical ICU
  - b. Surgical ICU
  - c. Burns ICU
  - d. HDU